


SWM

チェーンリンク (Chain.link)

標準長さは約1m



| 品名 | 3.2 | | | 4 | | | 5 | | |
|--------|-----|-----|----|-----|-----|----|-----|------|----|
| | P | W | H | P | W | H | P | W | H |
| F-A1 | 55 | 29 | 17 | 55 | 23 | 22 | 55 | 29 | 30 |
| F-A2 | 63 | 31 | 17 | 64 | 30 | 24 | 64 | 30 | 26 |
| F-A3 | 100 | 55 | 22 | 100 | 54 | 30 | 100 | 54 | 32 |
| F-A4 | 77 | 35 | 26 | 77 | 35 | 30 | 77 | 35 | 30 |
| F-A5 | 80 | 40 | 30 | 80 | 40 | 30 | 80 | 40 | 30 |
| F-A6 | 100 | 50 | 30 | 100 | 45 | 30 | 100 | 45 | 32 |
| F-A8 | 100 | 55 | 35 | 100 | 55 | 35 | 100 | 55 | 35 |
| F-A9 | 115 | 65 | 35 | 115 | 65 | 35 | 115 | 62 | 37 |
| F-A11 | 120 | 70 | 35 | 120 | 70 | 34 | 120 | 70 | 36 |
| F-A12 | 120 | 75 | 35 | 120 | 75 | 35 | 120 | 75 | 37 |
| F-A13 | 100 | 50 | 41 | 100 | 46 | 44 | 100 | 46 | 46 |
| F-A14 | 115 | 65 | 45 | 115 | 65 | 44 | 115 | 65 | 46 |
| F-A15 | 130 | 85 | 62 | 130 | 85 | 70 | 130 | 85 | 72 |
| F-A16 | 150 | 100 | 72 | 150 | 100 | 76 | 150 | 100 | 85 |
| F-B13 | 100 | 50 | 41 | 100 | 50 | 43 | 100 | 50 | 45 |
| F-B14 | 115 | 65 | 45 | 115 | 65 | 45 | 115 | 65 | 45 |
| F-B15 | 130 | 85 | 62 | 130 | 85 | 66 | 130 | 85 | 69 |
| F-B16 | 150 | 100 | 72 | 150 | 100 | 76 | 150 | 100 | 80 |
| F-AS1 | 55 | 23 | 16 | 55 | 23 | 16 | 50 | 23.5 | 25 |
| F-AS2 | 66 | 29 | 22 | 66 | 29 | 20 | 66 | 29 | 26 |
| F-AS6 | 100 | 45 | 30 | 100 | 45 | 30 | 100 | 45 | 30 |
| F-AS9 | 117 | 60 | 35 | 117 | 60 | 35 | 117 | 60 | 35 |
| F-AS13 | 100 | 46 | 36 | 100 | 46 | 41 | 100 | 46 | 45 |

※規格以外の、Aタイプ、Bタイプ、 ϕd 、P、W、Hにつきましては、ご相談下さい。

チェーンリンク

FA. FB

図番


156

並田機工株式会社

SUS304

チェーンリンク (Chain.link)

標準長さは約1m



| 品名 | 3.2 | | | 4 | | | 5 | | |
|--------|-----|-----|----|-----|-----|------|-----|------|----|
| | P | W | H | P | W | H | P | W | H |
| 304 | | | | | | | | | |
| F-A1 | 55 | 29 | 16 | 55 | 29 | 24 | 55 | 29 | 30 |
| F-A2 | 63 | 31 | 17 | 63 | 31 | 20 | 63 | 31 | 30 |
| F-A3 | 100 | 55 | 22 | 100 | 55 | 22 | 100 | 55 | 30 |
| F-A4 | 77 | 35 | 30 | 77 | 35 | 30 | 77 | 35 | 32 |
| F-A5 | 80 | 40 | 30 | 80 | 40 | 30 | 80 | 40 | 32 |
| F-A6 | 100 | 50 | 30 | 100 | 50 | 30 | 100 | 50 | 32 |
| F-A8 | 100 | 55 | 35 | 100 | 55 | 35 | 100 | 55 | 37 |
| F-A9 | 115 | 65 | 35 | 115 | 65 | 35 | 115 | 65 | 37 |
| F-A11 | 120 | 70 | 35 | 120 | 70 | 35 | 120 | 70 | 37 |
| F-A12 | 120 | 75 | 35 | 120 | 75 | 35 | 120 | 75 | 37 |
| F-A13 | 100 | 50 | 42 | 100 | 46 | 44 | 100 | 46 | 46 |
| F-A14 | 115 | 70 | 45 | 115 | 70 | 45 | 115 | 70 | 47 |
| F-A15 | 130 | 85 | 65 | 130 | 85 | 70 | 130 | 85 | 72 |
| F-A16 | 150 | 100 | 75 | 150 | 100 | 80 | 150 | 100 | 87 |
| F-A17 | | | | | | | 100 | 75 | 50 |
| F-B13 | 100 | 50 | 42 | 100 | 50 | 43 | 100 | 50 | 45 |
| F-B14 | 115 | 65 | 45 | 115 | 65 | 45 | 115 | 65 | 45 |
| F-B15 | 130 | 85 | 65 | 130 | 85 | 67 | 130 | 85 | 70 |
| F-B16 | 150 | 100 | 75 | 150 | 100 | 77 | 150 | 100 | 85 |
| F-AS1 | 55 | 23 | 16 | 55 | 23 | 18.5 | 50 | 23.5 | 25 |
| F-AS2 | 66 | 29 | 22 | 66 | 29 | 22 | 66 | 29 | 26 |
| F-AS6 | 100 | 45 | 30 | 100 | 45 | 30 | 100 | 45 | 30 |
| F-AS9 | 117 | 60 | 35 | 117 | 60 | 35 | 117 | 60 | 35 |
| F-AS13 | 100 | 46 | 40 | 100 | 46 | 41 | 100 | 46 | 45 |

※規格以外の、Aタイプ、Bタイプ、 ϕd 、P、W、Hにつきましては、ご相談下さい。

チェーンリンク

FA, FB

図番


156

並田機工株式会社

SUS310S

チェーンリンク (Chain.link)

標準長さは約1m



| 品名 | 3.2 | | | 4 | | | 5 | | |
|--------|-----|-----|----|-----|-----|------|-----|------|----|
| | P | W | H | P | W | H | P | W | H |
| 310S | | | | | | | | | |
| F-A1 | 55 | 29 | 17 | 55 | 29 | 20 | 55 | 29 | 30 |
| F-A2 | 63 | 31 | 17 | 63 | 31 | 20 | 63 | 31 | 30 |
| F-A3 | 100 | 55 | 22 | 100 | 55 | 22 | 100 | 55 | 30 |
| F-A4 | 77 | 35 | 30 | 77 | 35 | 30 | 77 | 35 | 30 |
| F-A5 | 80 | 40 | 30 | 80 | 40 | 30 | 80 | 40 | 30 |
| F-A6 | 100 | 50 | 30 | 100 | 50 | 30 | 100 | 50 | 30 |
| F-A8 | 100 | 55 | 35 | 100 | 55 | 35 | 100 | 55 | 35 |
| F-A9 | 115 | 65 | 35 | 115 | 65 | 35 | 115 | 65 | 35 |
| F-A11 | 120 | 70 | 35 | 120 | 70 | 35 | 120 | 70 | 35 |
| F-A12 | 120 | 75 | 35 | 120 | 75 | 35 | 120 | 75 | 35 |
| F-A13 | 100 | 50 | 42 | 100 | 50 | 43 | 100 | 50 | 45 |
| F-A14 | 115 | 65 | 45 | 115 | 65 | 45 | 115 | 65 | 45 |
| F-A15 | 130 | 85 | 65 | 130 | 85 | 67 | 130 | 85 | 70 |
| F-A16 | 150 | 100 | 75 | 150 | 100 | 77 | 150 | 100 | 85 |
| F-B13 | 100 | 50 | 42 | 100 | 50 | 43 | 100 | 50 | 45 |
| F-B14 | 115 | 65 | 45 | 115 | 65 | 45 | 115 | 65 | 45 |
| F-B15 | 130 | 85 | 65 | 130 | 85 | 67 | 130 | 85 | 70 |
| F-B16 | 150 | 100 | 75 | 150 | 100 | 77 | 150 | 100 | 85 |
| F-AS1 | 55 | 23 | 16 | 55 | 23 | 18.5 | 50 | 23.5 | 25 |
| F-AS2 | 66 | 29 | 22 | 66 | 29 | 22 | 66 | 29 | 26 |
| F-AS6 | 100 | 45 | 30 | 100 | 45 | 30 | 100 | 45 | 30 |
| F-AS9 | 117 | 60 | 35 | 117 | 60 | 35 | 117 | 60 | 35 |
| F-AS13 | 100 | 46 | 40 | 100 | 46 | 41 | 100 | 46 | 45 |

※規格以外の、Aタイプ、Bタイプ、φd、P、W、Hにつきましては、ご相談下さい。

チェーンリンク

FA, FB

図番

156

並田機工株式会社